

Canon EOS 5DS Body



Rating: 5.0

Price:

Variant price modifier:

Price with discount:

Salesprice with discount:

USD 1,499.00

Discount:



[Ask a question about this product](#)

Manufacturer: [Canon](#)

Description

- 50.6 Megapixel Full-frame CMOS sensor
- 3.2inch (1040k) ClearView II LCD Monitor
- New Fine Detail mode in Picture Style
- EOS Scene Detection System with RGB+IR Metering Sensor
- Advanced Mirror control mechanism and shutter release time lag
- Built-in intervalometer and bulb timer
- 61-point High Density Reticular AF
- 1.3x and 1.6x crop shooting
- Intelligent Viewfinder II
- Anti-flicker feature
- Up to 5.0 frames per second
- Full HD 30p movie capability

What's in the Box :

1. Canon EOS 5DS Body
2. Battery Pack LP-E6N
3. Battery Charger
4. Eyecup EG
5. Wide Strap EW-EOS5DS
6. Interface Cable
7. Cable Protector
8. EOS Digital Solution Disc

System Cameras (1)	
General	
Camera	Digital, AF/AE
Type:	single-lens reflex, camera
Image Sensor	
Sensor	large
Type:	single-plate CMOS
Sensor	36 x 24 mm
Size:	mm
Effective	50.6
Megapixel	
s:	
Viewfinder	
Viewfinder	Pentaprism
Type:	
Coverage:	100 %
Exposure & Shutter Control	
Min. ISO	100
Sensitivity	
:	
Max. ISO	6400 (ISO can
Sensitivity be expanded to	
:	L:50 or H1:
	12800)
Min.	Bulb sec
Shutter	
Speed:	
Max.	1/8000 sec
Shutter	
Speed:	
Continuous	5.0 fps
Burst	
Speed:	
Maximum	510
Shots /	
Burst:	
Video Recording	
File	MOV
Format:	
Video Res	1920 x 1080
olution:	(29.97, 25, 23.976 fps)
HD	Yes
Recording	
Display	

LCD Size: 3.2 inch
LCD Reso 1040 k pixels
Resolution:
Live View: Yes
Storage
Memory CompactFlash
Card Type I (UDMA
Type: 7 compatible),
SD card, SDHC
card or SDXC
card.
High-speed
writing with
UHS-I type SD
cards is support
Internal -
Memory:
Power Supply
Battery LP-E6N /
Model: LP-E6
Battery BG-E11
Grip:
Dimensions
Size: 152 X 116.4 X
76.4 mm
Weight: 845 g
Camera Features
Image Stabilization
Sensor Yes
Cleaning:
Tilt / Flip No
Screen :
Full Auto: Yes
Face Detect Yes
Detection :
HDMI Connection: Yes
External Remote control
Remote with N3 type
Control: contact,
Wireless
Controller LC-5,
Remote
Controller RC-6