HP DesignJet SD Pro MFP- 44in



Rating: 5.0 **Price:**

Variant price modifier:

Price with discount:

Salesprice with discount:

USD 7,747.00

Discount:



Ask a question about this product

Manufacturer: Hp

Description

Item: L3S81A

UPC: 889296330189

Specifications

Model size:

44 in

Functions:

Print, copy, scan

Speed specifications Speed specifications

Print time line drawing (economode, D plain paper):

28 sec/page

Print speed line drawing (economode, D plain paper):

103 D prints per hour

Linear scan speed:

Up to 6 in/sec (color, 200 dpi); up to 13 in/sec (black-and-white, 200 dpi)

Memory specifications

Memory, standard:

■ Printer: 32 GB (virtual)

■ Scanner: 2 GB

Hard disk:

Printer: Standard, 160 GBScanner: Standard, 500 GB

Technical specifications

Print quality (best)

Color: Up to 2400 x 1200 optimized dpi

Print technology:

HP Thermal Inkjet

Number of print cartridges:

6 (cyan, gray, magenta, matte black, photo black, yellow)

Ink types:

- Dye-based (C, G, M, pK, Y)
- pigment-based (mK)

Non-printable area (cut-sheet):

0.2 x 0.67 x 0.2 x 0.2 in

Guaranteed minimum line width:

0.0024 in (ISO/IEC 13660:2001(E))

Line accuracy:

+/- 0.1%

Scan resolution, optical:

1200 dpi

Enhanced scanning resolution:

9600 dpi

Scanner type:

Sheetfed

Scan size (flatbed), maximum:

44-in wide

Scan size flatbed (minimum):

6 x 4.5 in

Copy reduce / enlarge settings: 1 to 10000%

Copies, maximum:

1000

Bit depth:

48-bit/16-bit

Paper handling

Finished output handling:

- Printer: Sheet feed
- two automatic roll feeds
- automatic roll-switching
- media bin
- automatic cutter
- Scanner: Straight-through scan paper path for sheet and cardboard originals

Media types:

Printer: Bond and coated paper, technical paper, film, photographic paper, backlit, self-adhesive; Scanner: Non-abrasive paper, vellum, Mylar, sepia, blueprints, plastic, film, plastic laminate, foam board, cardboard, newspaper, tracing paper (no plywood, stone plates, metal plates or abrasive, dirty, rough, sharp edged, metal clamped, or burned surfaces or transparencies)

Media sizes standard (sheets, rolls):

- 8.3 to 44-in wide sheets
- 11 to 44-in rolls

Media sizes, custom:

■ 8.3 x 11 to 44 x 66 in

Roll external diameter:

5.3 in

Media thickness:

Up to 31.5 mil

Connectivity

HP ePrint capability:

Yes

Printing path:

Printer driver, HP Designjet ePrint & Share, HP Embedded Web Server, direct printing from USB flash drive, email printing Connectivity, standard:

- Printer: Gigabit Ethernet (1000Base-T)
- Hi-Speed USB 2.0 certified
- EIO Jetdirect accessory slot
- Scanner: Gigabit Ethernet (1000Base-T)
- Hi-Speed USB 2.0 certified

Print languages:

Adobe PostScript 3, Adobe PDF 1.7, HP-GL/2, HP-RTL, TIFF, JPEG, CALS G4, HP PCL 3 GUI

Power and operating requirements

Power consumption:

Printer: < 120 watts (printing); < 27 watts (ready); < 7 watts (< 25 watts with embedded Digital Front End) (sleep); 0.1 watts (off); Scanner: 47 watts (scanning); 32 watts (ready); 1.8 watts (sleep)

Operating temperature range

41 to 104°F

(5 to 40°C)

Operating humidity range:

20 to 80% RH

Dimensions and weight

Minimum dimensions (W x D x H): $69.6 \times 57.9 \times 59.1$ in

Weight:

321 lb

What's included

Warranty:

One-year limited hardware warranty

What's in the box:

Printer: HP Designjet T1300 Printer; printheads; introductory ink cartridges; printer stand; spindle; quick reference guide; setup poster; startup software; power cord; Scanner: HP Designjet SD Pro Scanner; stand; touchscreen (panel PC); quick reference guide; setup poster; copy/scan software; documentation software; Ethernet cables (x2); power cords

Software included:

- HP Designjet ePrint & Share
- HP Utility for Mac and Windows
- integrated software with scan and copy enhancement features