

Leica S Body



Rating: 3.0

Price:

Variant price modifier:

Price with discount:

Salesprice with discount:

USD 9,479.00

Discount:



[Ask a question about this product](#)

Manufacturer: [Leica](#)

Description

- 45 x 30mm Low-Noise CCD Sensor
- 37.5 Megapixel Resolution
- 3.0 inch TFT LCD and High-Eye Point Viewfinder
- L-eica S Bayonet Lens Mount
- Dual memory card support (CF &SD)
- DNG and JPEG File Capture
- Approximately 1,000 Exposures Per Charge
- Integrated GPS
- Compatible with Central Shutter Lenses
- 2 GB buffer memory
- ISO 100- 1600

What's in the box

1. Leica S Body
2. Battery
3. Quick charger S
4. Mains plug
5. USB connection cable with LEMO connector

- 6. Carrying strap
- 7. Bayonet cover
- 8. Eyepiece cover
- 9. Sync cable with LEMO connector

System Cameras (1)	
General	
Camera	Medium format
Type:	DSLR camera
Image Sensor	
Sensor	CCD
Type:	
Sensor	30 x 45mm mm
Size:	
Effective	37.5MP
Megapixel	
s:	
Viewfinder	
Viewfinde	Pentaprism
r Type:	viewfinder with high-eye point eyepiece
Coverage:	98 %
Exposure & Shutter Control	
Min. ISO	100
Sensitivity	
:	
Max. ISO	1600
Sensitivity	
:	
Min.	32 sec
Shutter	
Speed:	
Max.	1/4000 sec
Shutter	
Speed:	
Continuou	1.5 fps (2GB
s Burst	image buffer;
Speed:	DNG max. 28 images, DNG compressed max. 32 images, JPEG no limit) fps
Maximum -	
Shots /	
Burst:	
Video Recording	
File	-
Format:	
Video Res-	
olution:	
HD	No
Recording	
Display	
LCD Size:	3.0" inch
LCD Reso	921 k pixels
lution:	
Live View:	No
Storage	
Memory	CompactFlash /
Card	SD/SDHC/SDX
Type:	C
Internal	-
Memory:	
Power Supply	

Camera : Leica S Body

Battery Rechargeable
Model: lithium-ion
battery, 7.4 V,
2100 mAh

Battery -

Grip:

Dimensions

Size: 160 X 80 X 120
mm

Weight: 1260 g

Camera Features

Image Sta No
bilization

Sensor No

Cleaning:

Tilt / Flip No

Screen :

Full Auto: No

Face Dect No

ection :

HDMI Co No

nnection:

External -

Remote

Control: