

## Nikon D7200 DSLR Camera Body



Rating: 4.0

**Price:**

Variant price modifier:

Price with discount:

Salesprice with discount:

USD 449.00

Discount:



[Ask a question about this product](#)

Manufacturer: [Nikon](#)

### Description

- 24.2-megapixel DX format CMOS sensor, with no OLPF
- EXPEED 4 image processor
- ISO 100-25600 (Expandable to 102400 in B&W)
- Multi-CAM 3500 II 51-point AF
- 6 fps continuous shooting (Up to 7 fps in 1.3x crop)
- Picture Control 2.0
- Multi-area D-Movie (Full HD)
- High-fidelity audio
- High-intensity 3.2 inch (1229k) LCD monitor
- Dual SD memory card slots
- Built-in Wi-Fi and NFC

### What's in the box

1. Nikon D7200 DSLR Camera Body
2. Rubber Eyecup DK-23
3. Body Cap BF-1B

- 4. Rechargeable Li-ion Battery EN-EL15
- 5. Battery Charger
- 6. Eyepiece Cap DK-5
- 7. USB Cable
- 8. Strap AN-DC1

**System Cameras (1)**

General

Camera Single-lens  
Type: reflex digital camera

Image Sensor

Sensor CMOS  
Type:  
Sensor 23.5 mm x 15.6  
Size: mm mm  
Effective 24.2  
Megapixel

s:

Viewfinder

Viewfinder Eye-level  
Type: pentaprism  
single-lens  
reflex  
viewfinder

Coverage: 100 %

Exposure & Shutter

Control

Min. ISO 100

Sensitivity

:  
Max. ISO 25600

Sensitivity

:  
Min. 30 sec

Shutter

Speed:

Max. 1/8000 sec

Shutter

Speed:

Continuous 6 fps

Burst

Speed:

Maximum Up to approx.  
Shots / 100 shots of  
Burst: continuous  
shooting when  
in  
JPEG/fine/large

Video Recording

File MOV

Format:

Video Res 1920 x 1080:  
Resolution: 60p  
(progressive),  
50p, 30p, 25p,  
24p

HD Yes

Recording

Display

LCD Size: 3.2 inch  
LCD Reso 1229 k pixels  
Resolution:

Live View: Yes

Storage

Memory SD, SDHC,  
Card SDXC

Type:  
Internal -  
Memory:  
Power Supply  
Battery EN-EL15  
Model:  
Battery MB-D15  
Grip:  
Dimensions  
Size: 135.5 X 106.5 X  
76 mm  
Weight: 765 g  
Camera Features  
Image Stabilization No  
Sensor Yes  
Cleaning:  
Tilt / Flip No  
Screen :  
Full Auto: Yes  
Face Detection Yes  
HDMI Connection: Yes  
External Remote Control: MC-DC, WR-1