

## ROLAND VersaUV LEC-330



Rating: 4.0

**Price:**

Variant price modifier:

Price with discount:

Salesprice with discount:

USD 24,997.00

Discount:



[Ask a question about this product](#)

Manufacturer: [Roland](#)

Description

**Specifications :**

Printing technology		Piezo electric inkjet
Media	Width	182 to 762 mm (7.2 to 30 in.)
	Thickness	Maximum 1.0 mm (39 mil) with liner, for printing Maximum 0.4 mm (16 mil) with liner and 0.22 mm (9 mil) without liner, for cutting
	Roll outer diameter	Maximum 180 mm (7.1 in.)
	Roll weight	Maximum 20 kg (44 lb.)
	Core diameter	50.8 mm (2 in.) or 76.2 mm (3 in.)
Printing/cutting width*1		Maximum 736 mm (29 in.)
Ink cartridges	Types	Roland ECO-UV INK/Roland ECO-UV S INK
	Capacity	220cc / 500cc
	Colors	ECO-UV INK: Six colors (cyan, magenta, yellow,

Ink-curing unit		black, white and gloss)
Printing resolution (dots per inch)		ECO-UV S INK: Five colors (cyan, magenta, yellow, black, white)
Cutting speed		Dual UV LED Lamp Maximum 1440 dpi 10 to 600 mm/s (10 to 300 mm/s in media-feed direction)
Blade force		30 to 300 gf
Blade offset compensation		0.000 to 1.500 mm (0 to 0.0591 in.)
Software resolution (when cutting)		0.025 mm/step (0.000984 in./step)
Distance accuracy (when printing)*2		Error of less than $\pm 0.3\%$ of distance traveled, or $\pm 0.3$ mm, whichever is greater
Distance accuracy (when cutting)		Error of less than $\pm 0.4\%$ of distance traveled, or $\pm 0.3$ mm, whichever is greater When distance correction has been performed (when the setting for [CUTTING MENU] - [CALIBRATION] has been made): Error of less than $\pm 0.2\%$ of distance traveled, or $\pm 0.1$ mm, whichever is greater
Repetition accuracy (when cutting)*3		$\pm 0.1$ mm or less
Alignment accuracy for printing and cutting*4		$\pm 0.5$ mm or less
Alignment accuracy for printing and cutting when reloading media*5		Error of less than $\pm 0.5\%$ of distance traveled, or $\pm 3$ mm, whichever is greater
Connectivity		Ethernet (10BASE-T/100BASE-TX, automatic switching)
Power-saving function		Automatic sleep feature
Power requirements		AC 100 to 240 V $\pm 10\%$ , 50/60 Hz, maximum 4.2 A
Power consumption	During operation	Maximum 370 W
	Sleep mode	Approx. 15.3 W
Acoustic noise level	During operation	64 dB (A) or less
	During standby	40 dB (A) or less
Dimensions (with stand)*6		2,200 (W) x 820 (D) x 1,260 (H) mm [86.6 (W) x 32.3 (D) x 49.6 (H) in.]
Weight (with stand)		177 kg (390.2 lb.)
Environment	Power on	Temperature: 20 to 32°C (68 to 90°F) (22°C [72°F] or higher recommended) , humidity: 35 to 80% (non-condensing)
	Power off	Temperature: 5 to 40°C (41 to 104°F), humidity: 20 to 80% (non-condensing)
Accessories		Stands, power cord, blade, blade holder (XD-CH2), media clamps, replacement blade for separating knife, cleaning kit, software RIP (Roland VersaWorks), and user's manual, etc.

\*1 The length of printing or cutting is subject to the limitations of the program.

\*2 Using Roland DG specified media, print travel of 1m, temperature: 25°C (77°F), humidity: 50 %RH

\*3 Using Roland DG specified media, loaded on the shaft, [PREFEED] menu item must be set to "ENABLE," with 25 mm or more for both right and left margins and 35 mm or more front margin, excluding expansion or contraction of the media. Media 3,000 mm long.

\*4 Provided that media length is under 3,000 mm. Temperature: 25°C (77°F). Excluding possible shift caused by expansion or contraction of the media and/or by reloading the media.

\*5 Using Roland DG specified media, data size: 1,000 mm in the media-feed direction, 736 mm in the carriage-movement direction. No lamination. Automatic detection of crop marks at 4 points when media is reloaded. During cutting, [PREFEED] menu item must be set to "ENABLE." Temperature: 25°C (77°F). Excludes the effects of slanted movement and of expansion and contraction of the media.

\*6 During operation of the media take-up system, an operating range of approximately 80 mm back from the front edge of the dancer roller is required.

## Roland VersaWorks System Requirements

Operating system	Windows® 10 (32/64-bit); Windows® 8/8.1 (32/64-bit); Windows® 7 Ultimate/Professional (32/64-bit)
CPU	Intel® Core™2 Duo, 2.0 GHz or faster recommended
RAM	2 GB or more recommended
Video card and monitor	A resolution of 1,280 x 1,024 or more recommended
Free hard-disk space	40 GB or more recommended
Optical drive	DVD-ROM drive