

Sony A77 II Body



Rating: 5.0

Price:

Variant price modifier:

Price with discount:

Salesprice with discount:

USD 514.00

Discount:



[Ask a question about this product](#)

Manufacturer: [Sony](#)

Description

- 24.3MP APS-C Exmor CMOS sensor
- BIONZ X engine for superb detail and noise reduction
- Versatile A-mount interchangeable lens system
- Dedicated AF sensor with 79 AF points, 15 cross points
- Translucent Mirror Technology for 12fps shooting
- 3 way tilt 3.0 inch (1228k) LCD Screen
- 0.5 inch (2359k) XGA OLED Tru-Finder
- ISO Sensitivity: 100-25600 (1/3 EV step)
- Built-In Wi-Fi Connectivity with NFC
- Full-time AF during Full HD movie shooting

What's in the box

1. Sony A77 II Body (ILCA-77M2) (Supports both PAL and NTSC)
2. Rechargeable Battery NP-FM500H
3. Battery Charger
4. Shoulder strap
5. Body cap
6. Accessory shoe cap
7. Eyepiece cup
8. Micro USB cable

System Cameras (1)

General
Camera Interchangeable
Type: lens digital camera
Image Sensor
Sensor Exmor CMOS
Type:
Sensor APS-C type
Size: (23.5 x 15.6mm) mm
Effective 24.3
Megapixels:
Viewfinder
Viewfinder Type: Electronical Viewfinder
Coverage: 100 %
Exposure & Shutter Control
Min. ISO 100
Sensitivity
:
Max. ISO 25600
Sensitivity
:
Min. 30 sec
Shutter Speed:
Max. 1/8000 sec
Shutter Speed:
Continuous Burst
Speed:
Maximum 60
Shots / Burst:
Video Recording
File AVCHD format
Format: Ver. 2.0 compliant / MP4
Video Resolution: AVCHD: 1920 x 1080 (50p/28Mbps/PS)
HD Yes
Recording
Display
LCD Size: 3.0 inch
LCD Resolution: 1228 k pixels
Live View: Yes
Storage
Memory Memory Stick Duo / SD / SDHC / SDXC

Camera : Sony A77 II Body

Type: DXC
Internal -
Memory:
Power Supply
Battery NP-FM500H
Model:
Battery VG-C77AM
Grip:
Dimensions
Size: 142.6 X 104.2
X 80.9 mm
Weight: 647 g
Camera Features
Image Sta Yes
bilization
Sensor Yes
Cleaning:
Tilt / Flip Yes
Screen :
Full Auto: Yes
Face Dect Yes
ection :
HDMI Co Yes
nnection:
External RMT-DSLR2
Remote
Control: