Canon EOS 7D Mark II with EF-S 18-135mm f/3.5-5.6 IS STM Kit



Rating: 5.0
Price:
Variant price modifier:

Price with discount:

Salesprice with discount:

USD 799.00

Discount:

In Stock!
Ready to Order

Ask a question about this product

Manufacturer: Canon

Description

- 20.2 MP APS-C CMOS sensor
- 3.0 inch (1040k) Clear View II LCD monitor
- 10 fps continuous shooting
- ISO 100-16000 (expandable to H1: 25600, H2: 51200)
- 65-point AF system with iTR AF
- Dual DIGIC 6 Image Processors
- Dual Pixel CMOS AF
- 60p Full HD movies
- Magnesium Alloy Body Construction
- Built-In GPS Receiver & Digital Compass

What’s in the box

1. Canon EOS 7D Mark II Body

2. Canon EF-S 18-135mm f/3.5-5.6 IS STM
3. Eyecup Eg
4. Body cap
5. Wide Neck Strap
6. Battery Pack LP-E6N
7. Battery Charger
8. USB Interface Cable
9. EOS Digital Solution Disc
10. Software Instruction Manual CD

System Cameras (1)	
General	
Camera Type:	Digital AF/AE single-lens reflex camera with built-in flash
Image Sensor	
Sensor Type:	CMOS
Sensor Size:	22.4 x 15.0 mm
Effective Megapixels:	20.2
Viewfinder	
Viewfinder Type:	Pentaprism
Coverage:	100 %
Exposure & Shutter Control	
Min. ISO Sensitivity:	100
Max. ISO Sensitivity:	16000
Min. Shutter Speed:	Bulb sec
Max. Shutter Speed:	1/8000 sec
Continuous Burst Speed:	10 fps
Maximum Shots / Burst:	-
Video Recording	
File Format:	MOV
Video Resolution:	1920 x 1080 (59.94, 50 fps) inter-frame
HD Recording	Yes
Display	
LCD Size:	3.0 inch
LCD Resolution:	1040 k pixels
Live View:	Yes
Storage	
Memory Card Type:	CF, SD, SDHC, SDXC
Internal Memory:	-

Power Supply	
Battery Model:	LP-E6N
Battery Grip:	BG-E16
Dimensions	
Size:	148.6 X 112.4 X 78.2 mm
Weight:	910 g
Camera Features	
Image Stabilization	No
Sensor Cleaning:	Yes
Tilt / Flip Screen :	No
Full Auto:	Yes
Face Dectection :	No
HDMI Connection:	Yes
External Remote Control:	Remote control with N3 type contact, LC-5, RC-6,