Canon XA10 HD Professional Camcorder









Rating: 5.0
Price:
Variant price modifier:

Price with discount:

Salesprice with discount:

USD 649.00

Discount:

In Stock!
Ready to Order

Ask a question about this product

Manufacturer: Canon

Description

Product Highlights

- 1/3" CMOS Sensor
- Native 1920 x 1080
- 24Mbps AVCHD Recording
- 60i, PF30, PF24, Native 24p
- 64GB Internal Flash Drive
- 10x HD Zoom Lens
- Dual SD Memory Card Slots
- 3.5" Touch Panel LCD Screen
- Dual XLR Inputs w/Detachable Handle
- Waveform Monitor, Peaking, Zebra 70/100%

Image Device	Image Device 1/3" CMOS Sensor Native 1920 x 1080
Lens	Zoom Ratio: 10x Optical & 40x/200x Digital (Movie) Focal Length: 4.25 - 42.5mm (35mm equivalent 30.4 - 305mm) Zoom Speed: Variable Zoom Speed Constant: Fast, Normal, Slow (16 steps in each mode) Max F/Stop: f/1.8 - 2.8
Horizontal Resolution	*Not specified by manufacturer*
Focusing System	TVAF plus External Phase Difference Metering Sensor Autofocus (Instant AF, Medium AF, Normal AF, Face AF, Face Only AF), Manual, Full Manual
Minimum Illumination	*Not specified by manufacturer*
Built-in Filters	*Not specified by manufacturer*
Filter Thread	58 mm
Minimum Focus Distance	20mm (0.78") - wide macro, 60cm (1.97') - entire zoom range
Video Recording System	Compression: AVCHD Color Space: 4:2:0 (at 24Mbps recording) <u>Recording Modes:</u> MXP - 24Mbps FXP - 17Mbps XP+ - 12Mbps SP - 7Mbps LP - 5Mbps
Audio Recording Format	2-Channel, PCM digital recording, 16-Bit; 48kHz
Frame Rates	60i, PF30, PF24, 24p (native)
Image Stabilization	Dynamic SuperRange Optical (Lens Shift) 4 modes: Standard, Powered, Dynamic, Off
LCD Monitor	3.5" Touch Panel Screen, approx. 922,000 dots
Viewfinder	0.24" Color, approx. 260,000 dots (100% FOV, adjustable brightness, color, contrast)
Microphone	Option
Memory Card Slot	SD Card: 2 Slots
Shutter Speed	*Not specified by manufacturer*
White Balance	Auto, Custom (2000K - 15000K in 100K increments), Daylight, Shade, Cloudy, Tungsten, Fluorescent H, Fluorescent, 2x Manual presets
Gain Selection	0dB - 24dB (in 1dB increments) AGC (w/maximum gain limit)
Maximum Recording Time	64GB Internal Flash Drive (Greater capacity is possible when SD cards are used.) 24Mbps: 5 hours 55 minutes 17Mbps: 8 hours 20 minutes 12Mbps: 11 hours 30 minutes 7Mbps: 19 hours 10 minutes 5Mbps: 24 hours 30 minutes *Class 4 or higher SDHC or SDXC card required for 24Mbps and 17Mbps modes.*

Input and Output Connectors	Component (x1 Output) Composite: 3.5mm A/V (x1 Output) HDMI: Mini Type C (x1 Output) Mic/Line: XLR 3-pin (x2 Input) Stereo Mic: 3.5mm Mini Jack (x1 Input) USB: Mini-B USB 2.0 Headphone: 3.5mm Mini Remote Control Terminal: LANC
Power Requirements	7.4VDC (Battery Pack)
Power Consumption	*Not specified by manufacturer*
Operating Temperature	32-104°F (0-40°C), 85% relative humidity
Dimensions (WxHxD)	5.1 x 7 x 8" (13 x 17.8 x 20.3 cm)
Weight	1.71 lbs (0.78kg) - not including battery, memory card, lens hood, mic holder
Packaging Info	
Package Weight	4.7 lb
Box Dimensions (LxWxH)	10.6 x 9.6 x 7.5"